


UNITED STATES PATENT AND TRADEMARK OFFICE



CONFIRMATION NO. ATTORNEY DOCKET NO. FIRST NAMED INVENTOR FILING DATE APPLICATION NO. 3401.5US (97-710.5) Warren M. Farnworth 08/13/2001 09/928,478 11/05/2002 24247 7590 EXAMINER TRASK BRITT P.O. BOX 2550 VIGUSHIN, JOHN B SALT LAKE CITY, UT 84110 PAPER NUMBER ART UNIT

2827

DATE MAILED: 11/05/2002

Please find below and/or attached an Office communication concerning this application or proceeding.

_	Application No.	pplication No. Applicant(s)	
Office Action Summary	09/928,478	FARNWORTH ET AL.	
	Examiner	Art Unit	
	John B. Vigushin	2827	
The MAILING DATE of this communication Period for Reply	appears on the cover sheet with	h the correspondence ad	ldress
A SHORTENED STATUTORY PERIOD FOR RE THE MAILING DATE OF THIS COMMUNICATIO - Extensions of time may be available under the provisions of 37 CFF after SIX (6) MONTHS from the mailing date of this communication - If the period for reply specified above is less than thirty (30) days, a - If NO period for reply is specified above, the maximum statutory pe - Failure to reply within the set or extended period for reply will, by st - Any reply received by the Office later than three months after the m earned patent term adjustment. See 37 CFR 1.704(b). Status	N. R 1.136(a). In no event, however, may a re to reply within the statutory minimum of thirty riod will apply and will expire SIX (6) MONT atute. cause the application to become AB/	ply be timely filed (30) days will be considered timel THS from the mailing date of this c NDONED (35 U.S.C. § 133).	ly. communication.
1) Responsive to communication(s) filed on	09 January 2002 .		
2a) ☐ This action is FINAL . 2b) ⊠	This action is non-final.		
3) Since this application is in condition for all closed in accordance with the practice unit Disposition of Claims	lowance except for formal mati der <i>Ex parte Quayle</i> , 1935 C.E	ters, prosecution as to the control of the control	ne merits is
4)⊠ Claim(s) <u>1-21</u> is/are pending in the applica	ation.		
4a) Of the above claim(s) is/are with			
5) Claim(s) is/are allowed.			
6)⊠ Claim(s) <u>1-21</u> is/are rejected.			
7) Claim(s) is/are objected to.			
8) Claim(s) are subject to restriction ar	nd/or election requirement.		
Application Papers			
9)☐ The specification is objected to by the Exan	niner.		
10)⊠ The drawing(s) filed on 13 August 2001 is/a			
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).			
11)☐ The proposed drawing correction filed on _	is: a)□ approved b)□ d	isapproved by the Examin	ner.
If approved, corrected drawings are required in reply to this Office action.			
12) The oath or declaration is objected to by the	e Examiner.		
Priority under 35 U.S.C. §§ 119 and 120			
13) Acknowledgment is made of a claim for for	reign priority under 35 U.S.C.	§ 119(a)-(d) or (f).	
a) ☐ All b) ☐ Some * c) ☐ None of:			
1. Certified copies of the priority docum	nents have been received.		
2. Certified copies of the priority document	nents have been received in A	pplication No	
3. Copies of the certified copies of the application from the Internationa * See the attached detailed Office action for a	al Bureau (PCT Rule 17.2(a)).		l Stage
14) Acknowledgment is made of a claim for don	nestic priority under 35 U.S.C.	§ 119(e) (to a provision	al application).
a) ☐ The translation of the foreign language 15) ☐ Acknowledgment is made of a claim for dor	e provisional application has b	een received.	
Attachment(s)			
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	<i>'</i> −	Summary (PTO-413) Paper N Informal Patent Application (P	

3) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 3

6) Other:

Art Unit: 2827

DETAILED ACTION

Continuing Application

1. The instant Application is a continuation of US Application Serial No. 09/651,460, filed August 30, 2000 (now US Pat. 6,295,209), which is a continuation of US Application Serial No. 09/464,992, filed December 16, 1999 (now US Pat. 6,144,560), which is a continuation of US Application Serial No. 09/296,952, filed April 22, 1999 (now US Pat. 6,091,606), which is a continuation of US Application Serial No. 09/002,063, filed December 31, 1997 (now US Pat. 5,940,277). The Examiner has reviewed the prior art cited or relied upon in the above-mentioned parent Applications as required by the MPEP § 2001.06(b).

Rejections Based On Prior Art

2. The following references were relied upon for the rejections hereinbelow:

Akram et al. (US 6,072,236)

Lee et al. (US 5,386,087)

Yunoki et al. (US 5,236,372)

Kniese et al. (US 4,806,103)

Dines (US 4,303,291)

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Art Unit: 2827

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) do not apply to the examination of this application as the application being examined was not (1) filed on or after November 29, 2000, or (2) voluntarily published under 35 U.S.C. 122(b). Therefore, this application is examined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

4. Claims 1, 5-9, 12, 17, 18, 20 and 21 are rejected under 35 U.S.C. 102(e) as being anticipated by Akram et al.

As to Claim 1, Akram et al. discloses, in Figs. 6-8, at least one contact pad 116 positioned on a surface of semiconductor device 12 adjacent an edge thereof; a layer 20 comprising dielectric material (i.e., a ceramic material: col.5: 47-51), the layer 20 having a notch 22 formed therein which exposes at least a portion of the at least one contact pad 116 (col.6: 32-39).

As to Claim 5, Akram et al. further discloses that layer 20 covers substantially all of the semiconductor device surface (Figs. 6-8).

As to Claim 6, Akram et al. further discloses that notch 22 substantially surrounds the at least one contact pad 116 (Fig. 6).

As to Claim 7, Akram et al. further discloses a plurality of contact pads 116 (Fig. 6).

As to Claim 8, Akram et al. further discloses that at least some of contact pads 116 are located adjacent the edge (Fig. 6).

Art Unit: 2827

As to Claim 9, Akram et al. further discloses that layer 20 includes regions extending laterally between adjacent contact pads 116 of the at least some contact pads 116 (Fig. 6).

As to Claim 12, Akram et al. discloses a substantially planar member 20 comprising dielectric material (i.e., ceramic material: col.5: 47-51); at least one notch 22 formed adjacent an edge of substantially planar member 20; at least one notch 22 configured to expose at least a portion of a corresponding contact pad 116 of the semiconductor device 12 upon positioning the protective layer (i.e., substantially planar member 20) over a surface of semiconductor device 12 (col.6: 32-39).

As to Claim 17, Akram et al. further discloses a plurality of notches 22 located along the edge (Fig. 6).

As to Claim 18, Akram et al. further discloses that substantially planar member 20 is configured to substantially cover a surface of semiconductor device 12 upon assembly therewith (Fig. 6).

As to Claim 20, Akram et al. further discloses that the notches each comprise an aperture 22 in communication with a trench 122 formed in the edge (col.6: 39-42); hence, at least one notch is formed in the edge (Figs. 6 and 7).

As to Claim 21, Akram et al. further discloses that at least one notch 22 is configured to substantially surround the corresponding contact pad upon assembly of the protective layer (i.e., substantially planar member 20) with semiconductor device 12 (Fig. 6).

Art Unit: 2827

5. Claims 12-14 and 18-21 are rejected under 35 U.S.C. 102(b) as being anticipated by Yunoki et al.

As to Claim 12, Yunoki et al. discloses a substantially planar member 34 comprising a dielectric material (col.5: 23-25); at least one notch 35 formed adjacent an edge 35a of substantially planar member 34 (col.5: 63-68), the at least one notch 35 configured to expose at least a portion of a corresponding contact pad 32, 33 "upon positioning the protective layer over a surface of a semiconductor device" (Italic emphasis by the Examiner). Examiner's Note: The at least one notch of the protective layer (dielectric planar member) "being configured to expose at least a portion of a corresponding contact pad of the semiconductor device upon positioning the protective layer over a surface of the semiconductor device" (bold emphasis by the Examiner) is intended use of the protective layer (planar member) because the protective layer (planar member) is not actually structurally positioned on a semiconductor device surface in the claim language; i.e., there is no semiconductor device actually present in the positively claimed structure: Only the structure of the protective layer (planar member) alone is claimed. It has been held that a recitation with respect to the manner in which a claimed apparatus (in this case, the protective layer or planar member) is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus (i.e., the planar member 34 of Yunoki et al.) satisfying the claimed structural limitations. Ex parte Masham, 2 USPQ2d 1647 (1987).

Art Unit: 2827

As to Claim 13, Yunoki et al. further discloses a bevel (inclined wall) along the edge 35a (Fig. 2; col.5: 63-col.6: 4).

As to Claim 14, Yunoki et al. further discloses at least one edge 35a of at least one notch 35 is beveled (Fig. 2; col.5: 63-col.6: 4).

As to Claim 18, Yunoki et al. further discloses that the substantially planar member 34 is configured to substantially cover a surface (i.e., connector portion 31) of a semiconductor device **upon assembly** therewith (Fig. 2; col.5: 23-25). [Examiner's Note: The phrase "upon assembly" indicates <u>intended use</u> of the planar member 34; i.e., there is no semiconductor device actually present in the <u>positively claimed</u> structure: Only the structure of the protective layer (planar member) alone is claimed. See Examiner's Note in the rejection of Claim 12, above].

As to Claim 19, Yunoki et al. further discloses that substantially planar member 34 is configured to cover only a portion of a surface of a semiconductor device adjacent an edge thereof (i.e., connector portion 31) proximate to which at least one contact pad 32, 33 is located **upon assembly** of the protective layer with the semiconductor device (Fig. 2; col.5: 23-25). [Examiner's Note: The phrase "upon assembly" indicates intended use of the protective layer (planar member 34); i.e., there is no semiconductor device actually present in the positively claimed structure: Only the structure of the protective layer (planar member) alone is claimed. See Examiner's Note in the rejection of Claim 12, above].

As to Claim 20, Yunoki et al. further discloses at least one notch 35 is formed in the edge (Fig. 2).

Art Unit: 2827

As to Claim 21, Yunoki et al. further discloses that at least one notch 35 is configured to substantially surround the corresponding pad 33 **upon assembly** of the protective layer with the semiconductor device. [Examiner's Note: The phrase "upon assembly" indicates intended use of the protective layer (planar member 34); i.e., there is no semiconductor device actually present in the positively claimed structure: Only the structure of the protective layer (planar member) alone is claimed. See Examiner's Note in the rejection of Claim 12, above].

Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 1, 4 and 6-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yunoki et al.

As to Claim 1:

- I. Yunoki et al. discloses at least one contact pad 32, 33; on a surface of circuit board 30 adjacent an edge 31 thereof; a layer 34 comprising dielectric material on at least a portion of the surface, the layer 34 having a notch 35 formed therein which exposes at least a portion of the at least one contact pad 32, 33 (col.5: 23-27).
- II. Yunoki et al. does not indicate the functional circuitry or components on the circuit board or card 30.

Art Unit: 2827

III. However, Yunoki et al. discloses circuit boards or cards for mounting into system board connectors 10 for electronic devices (see Fig. 1; col.1: 6-15), and furthermore, cards such as SIMMs, DIMMs, controller cards, processor cards are notorious in the art as add-on circuit boards that have semiconductor chips mounted thereon for the above-mentioned memory, control, communication and processing functions to be provided on an electronic device or computer system board.

Accordingly, these circuit cards are part of the *packaging* of the SIMMs, DIMMs, controllers, communication devices and processors which are, respectively, representative of the various types of *semiconductor devices*, *i.e.*, *circuit-board-packaged devices having semiconductor chips mounted thereon*, that are notorious in the art, as mentioned above.

IV. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the circuit card 30 of Yunoki et al. to be a SIMM, DIMM, controller or processor card--i.e., a *semiconductor device* 30---for use in the electronic device contemplated by Yunoki et al.

As to Claim 4, Yunoki et al. further discloses that notch 35 is tapered from a surface of layer 34 toward the surface of semiconductor device 30.

As to Claim 6, Yunoki et al. further discloses that notch 35 substantially surrounds at least one contact pad (i.e., contact pad 33: Fig 2).

As to Claim 7, Yunoki et al. further discloses a plurality of contact pads (i.e., pads 32 and 33: Fig. 2).

Art Unit: 2827

As to Claim 8, Yunoki et al. further discloses that at least some of the contact pads (i.e., pads 32) are located adjacent the edge (Fig. 2).

As to Claim 9, Yunoki et al. further discloses that layer 34 includes regions extending laterally between adjacent contact pads 32 of the at least some contact pads 32 (Fig. 2).

8. Claims 2 and 3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yunoki et al. in view of Kniese et al.

As to Claims 2 and 3:

- I. Yunoki et al. discloses all the limitations of base Claim 1 but does including a beveled taper of the lateral portions 35a layer 34 defining notch 35, but does not teach a beveled taper from a surface of layer 34 <u>toward the edge</u> of the semiconductor device circuit card 30.
- II. Yunoki et al. discloses a staggered array of contact pads 32 and 33 to be inserted into a connector and contacted by connector members 21 and 22 (Figs. 4 and 5). Kniese et al. also discloses a staggered array of contact pads on a circuit card 12 (Figs. 2B,C) but discloses a dielectric rib structure 28 (Figs. 1 and 6) that exhibit beveled tapers 31 toward the edge of the circuit card 12 (Figs. 1 and 6) wherein the beveled tapers 31 facilitate the movement of the longer connector contacts 18 over the rib structure and onto the appropriate row of contacts of the circuit card 12.
- III. Since both Yunoki et al. and Kniese et al. are both in the same art of inserting a circuit card into the connector of an electronic system, then the beveled taper structure of the dielectric rib structure of Kniese et al. would have been readily

Art Unit: 2827

recognized by Yunoki et al. as a useful structural feature for layer 34 to facilitate and properly direct the movement of connector contact members 22 over the portions of layer 34 closest to the edge of circuit card 30 and onto the contacts 33 of the circuit card 30 as it is inserted into connector 10.

- IV. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the portion of layer 34 nearest the connector edge of card 30 in Yunoki et al. with the beveled taper taught by Kniese et al. in order to facilitate and properly direct the movement of the contact members of connector 10 over the dielectric layer 34 and onto the card contacts 33 during insertion of the card 30 into connector 10, in Yunoki et al., as taught by Kniese et al.
- 9. Claims 10, 11, 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yunoki et al. as applied to claims 1 and 12 above, and further in view of Dines and Lee et al.

As to Claims 10, 11, 15 and 16:

- I. Yunoki et al. discloses all the limitations of base Claims 1 and 12, respectively, and further teaches a dielectric (insulating) layer 34 for protecting the connector portion 31 of the semiconductor package circuit card 30 but is silent as to the dielectric material composition of the layer 34.
- II. Dines teaches a circuit card with a dielectric layer 13 having notches 46 exposing contact pads 43, wherein the dielectric layer 13 is a photoimageable material which is developed and set by exposure to ultraviolet (UV) light (Fig. 2; col.3: 12-18 and 55-62).

Art Unit: 2827

III. Lee et al. further discloses that such a UV photoimageable layer is a photopolymer material which cross-links (sets) upon exposure to UV light (Fig. 1; col.3: 44-46).

IV. Since Yunoki et al. and Dines and Lee et al. all protect the circuit substrate with a planar member dielectric layer, and Yunoki et al. and Dines are both in the same art of attaching circuit cards to a system connector, and since Dines and Lee et al. teach a photoimageable polymer material for protecting the card surface, then the use of the photoimageable polymer material for protecting the circuit card surface, as taught by Dines and Lee et al. would have been readily recognized as a an effective insulating material for the dielectric layer 34 in Yunoki et al.

V. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to specifically use the dielectric material taught by Dines and Lee et al. (i.e., the photoimageable polymer material) as the dielectric material 34 in Yunoki et al. in order to effectively apply a dielectric layer for protecting the connector portion 31 on the circuit card component 30 of the semiconductor package of Yunoki et al.

Conclusion

- 10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- a) The following references disclose a semiconductor device with a dielectric layer thereon, the layer having notches that expose semiconductor device contacts:

Art Unit: 2827

Chung et al. (US 5,909,122): Figs. 1 and 2; notches 162 and 163. Siegel et al. (US 5,557,504): Figs. 1 and 2; notches 14 and 34. Martin (US 5,412,247): Figs. 2 and 3; notches 54, 56, 58 and 60.

- b) Rostoker et al. (US 5,729,894) discloses a BGA semiconductor package 200 having notches 260-267 in the resin molding 226 exposing chip carrier contacts 270-277 (Fig. 5; col.6: 5-11).
- c) The following references disclose circuit cards with a dielectric layer thereon, the layer having notches that expose the card contacts:

Tanaka et al. (US 5,757,622): Figs. 2 and 3; notch 20.

Bare et al. (US 5,665,653): Figs. 9 and 10.

Griffith et al. (US 4,298,237): Fig. 3; notches 24a,b,c.

d) The following references disclose a semiconductor lead frame with molding material having a notch for exposing the leads at the edge(s):

Houdeau et al. (US 6,326,683 B1): Figs. 4 and 5; notch 17. Marchisi (US 5,102,828): Figs. 3 and 4.

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to John B. Vigushin whose telephone number is 703-308-1205. The examiner can normally be reached on 8:30AM-5:00PM Mo-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David L. Talbott can be reached on 703-305-9883. The fax phone numbers

Art Unit: 2827

for the organization where this application or proceeding is assigned are 703-308-7382 for regular communications and 703-308-7382 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0956.

John B. Vigushin

Examiner Art Unit 2827

jbν

November 4, 2002